

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	53	(proxy with cache and (client terminal workstation) with (address) with (request get) with (server host)). bsum.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 12:11
L2	528	(proxy with cache and (client terminal workstation) same (request get) same (server host)). bsum.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 12:11
L3	531	(proxy with cache and (client terminal workstation) same (request get query) same (server host)). bsum.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 12:12
L4	114	(proxy with cache and (client terminal workstation) same (request get query) same (server host) with (address)). bsum.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 12:12
L5	81	(proxy with cache and (client terminal workstation) same (request get query) same (server host) and (request get query) with (server host) with (address)). bsum.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 12:12
S1	472	709/233.ccls.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 20:27
S2	273	S1 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:52

EAST Search History

S3	45	S2 and (host server) same (client workstation terminal) same (message packet data) with (speed flow rate)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 20:29
S4	29	S2 and (host server) with (client workstation terminal) with (message packet data) with (speed flow rate)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 20:29
S5	1	(US-6014707-\$).did.	USPAT	OR	ON	2006/09/12 21:18
S6	1	S5 and downloadstart	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:10
S7	1	S5 and rate	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 21:37
S8	1	S5 and network adj congestion	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 21:49
S9	1	S5 and schedul\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:00
S10	1	S5 and (descriptor pathname)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:00
S11	1	S5 and cache	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:02

EAST Search History

S12	134	(server host) with (retriev\$3 download\$3) with (file) with (remote secondary backup separate) same (client workstation terminal) with (request) with (server host)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:04
S13	45	S12 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:04
S14	16	(server host) with (retriev\$3 download\$3) with (file) with (remote secondary backup separate) same (client workstation terminal) with (request message) with (server host) with (address path link)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:10
S15	10	S14 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:05
S16	2962	(server host) with (file data) with (server) with (client workstation terminal) with (request message) with (server host) with (address path link)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:45
S17	1434	(server host) with (access\$3 download\$3 retriev\$3) with (file data) same (client workstation terminal) with (request message) with (address path link)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:12
S18	559	S17 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:45
S19	68	(client workstation terminal) with (request message) with (server host) with (address path link) with (another secondary)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:47

EAST Search History

S20	27	S19 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:49
S21	805	(client workstation terminal) with (request message) with (proxy) with (address path link)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 22:48
S22	21	(client workstation terminal) with (request message) with (proxy) with (address path link) with (server host) with (file)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:06
S23	11	S22 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:06
S24	5	(client workstation terminal) with (request message) with (farm cluster) with (address path link) with (server host) with (file)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:07
S25	1	S24 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:07
S26	58	(client workstation terminal) with (request message) with (farm cluster) with (address path link) with (server host) and (intermediate intermediary proxy)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:11
S27	20	S26 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:12

EAST Search History

S28	0	S5 and (intermediat\$3 proxy)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:10
S29	939	(client workstation terminal) with (request message) with (address path link) with (server host) same (intermediate intermediary proxy)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:12
S30	276	S29 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:12
S31	171	(client workstation terminal) with (request message) with (address path link) with (server host) same (intermediate intermediary proxy) with (forward\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:15
S32	50	S31 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:15
S33	134	(client workstation terminal) with (request message) with (address path link) with (server host) same (intermediate intermediary proxy) with (cach\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:21
S34	47	S33 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:23
S35	65	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) same (intermediate intermediary proxy) with (cach\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:24

EAST Search History

S36	17	S35 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:24
S37	48	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) same (intermediate intermediary proxy) with (cach\$3) with (file object content)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:26
S38	9	S37 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:26
S39	253	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) same (cach\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:28
S40	88	S39 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:29
S41	312	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) and (cach\$3) same (file object content data) same (intermedia\$3 proxy agent)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:30
S42	110	S41 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:31

EAST Search History

S43	640	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) and (cach\$3 stor\$3) with (file object content data) same (intermedia\$3 proxy agent)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:30
S44	271	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) and (cach\$3) with (file object content data) same (intermedia\$3 proxy agent)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:31
S45	103	S44 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:31
S46	286	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) and (cach\$3) with (file object content data) same (intermedia\$3 proxy gateway)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:46
S47	115	S46 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:46
S48	69	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) same (intercept\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:48
S49	23	S48 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:46

EAST Search History

S50	47	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) same (intercept\$3) and cach\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:51
S51	31	(client workstation terminal) with (address path link) with (server host) with (file object content data) with (request query) same (intercept\$3) same (stor\$3 cach\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:51
S52	12	S51 and (@ad<"20000203" @pd<"20000203" @rlad<"20000203")	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 23:52